OIPE HTIRC-02-006

February 9, 2004

To: Commissioner for Patents P.O.Box 1450 Alexandria, VA 22313-1450

Fr: George O. Saile, Reg. No. 19,572 28 Davis Avenue

Poughkeepsie, N.Y. 12603

Subject:

| Serial No. 10/718,372 11/20/03 |

Jei Wei Chang et al.

SELF-ALIGNMENT SCHEME FOR ENHANCE-MENT OF CPP-GMR

INFORMATION DISCLOSURE STATEMENT

Enclosed is Form PTO-1449, Information Disclosure Citation
In An Application.

The following Patents and/or Publications are submitted to comply with the duty of disclosure under CFR 1.97-1.99 and 37 CFR 1.56.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on February , 2004.

Stephen B. Ackerman, Reg.# 37761

Signature/Date Stephe Backen 2/12/04

- U.S. Patent 5,627,704 to Lederman et al., "Thin Film Giant Magnetoresistive CPP Transducer with Flux Guide Yoke Structure," discloses a CPP GMR stack structure formed within a gap located in one of two pole layers of a magnetic yoke structure which also has a transducing gap formed in an ABS plane.
- U.S. Patent 5,668,688 to Dykes et al., "Current Perpendicular-to-the-plane Spin Valve Type Magnetoresistive Transducer," discloses a spin valve CPP configuration in which the active layers form a stack of uniform width disposed between upper and lower shield and conductor layers.
- U.S. Patent 6,353,318 to Sin et al., "Magnetoresistive Sensor Having Hard Biased Current Perpendicular to the Plane Sensor," discloses a method for forming a CPP sensor having hard bias layers positioned so as not to allow shorting between the current carrying leads.
- U.S. Patent 6,002,553 to Stearns et al., "Giant Magneto-resistive Sensor," discloses a CPP 3-dimensional microarchitecture in which the stack layers are substantially rectangular in shape and of very small size (between 0.1 and 5 microns).

HTIRC-02-006

U.S. Patent 6,134,089 to Barr et al., "Current Perpendicular to Plane Magnetoresistive Device with Low Resistance Lead," discloses a CPP design in which the sensor leads are shaped to have low resistance without the necessity of an increase in spacing between the upper and lower magnetic shields between which the sensor stack is disposed.

Co-pending U.S. Patent Application HTIRC-02-003, Serial No. 10/392,118, filed 03/19/03, assigned to the same assignee, "GMR Improvement in CPP Spin Valve Head by Inserting a Current Channeling Layer (CCL)," discusses the fabrication of giant magnetoresistive (GMR) magnetic field sensors of a "current-perpendicular-to-the-plane" (CPP) configuration.

Co-pending U.S. Patent Application HTIRC-02-004, Serial No. 10/718,373, filed 11/20/03, assigned to the same assignee, "Method of Increasing CPP GMR in a Spin Valve Structure," discusses giant magnetoresistive (GMR) magnetic field sensors having a spin valve structure and a "current-perpendicular-to-the plane" (CPP) configuration.

Sincerely,

Stephen B. Ackerman,

Reg. No. 37761

Form PTO-1449 Doctor Humber (Opening) IRC-02-006 718,372 10 INFORMATION DISCLOSURE CITATION IN AN APPLICATION FHing Date aron yy and (Use several shouts if necessary) U. S'. PATENT DOCUMENTS EXAMINER DOCUMENT NUMBER DATE HULE ALMO DATE Y APPROPRIATE CLASS BUBCULE MINT 3/5/02 324 252 360 360 322 360 113 113 360 FOREIGN PATENT DOCUMENTS Translation DOCUMENT NUMBER DATE COUNTRY CLASS SUBCLASS YES. 84 OTHER DOCUMENTS (Including Author, Tibe, Date, Pertinent Pages, Etc.) amo assignee

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

DÂTE CONMIDERED

EXAMINER